

PRICE & RUTZEBECK

P. O. BOX 30
HAYWARD, CALIFORNIA







THE RIGHT TOOLS FOR YOUR JOB

P&R CO

TOOLS DESIGNED

With Your Time In Mind

TOOLS LISTED HEREIN MANUFACTURED BY

A. HENRY STEWART CO., Hayward, California
H & T KEESLING, Los Gatos, California
LOUIS MELZASSARD OF MONACO
OAKLAND CARBIDE ENGINEERING, Oakland, California
OLIVER DANIELSON, Martinez, California
PRICE & RUTZBECK, Hayward, California
R. W. SELLECK, San Jose
TRANS BAY TOOLING, Oakland, California
WAYNE COMPTON, Morro Bay, California



"GRIPS RITE" ANGLE HEAD

FOR USE WITH ½ INCH ELECTRIC DRILL

A HEAVY DUTY TOOL DESIGNED FOR AND JOB PROVED BY THOUSANDS IN THE PLUMBING, HEATING AND ELECTRICAL TRADES.

Fits the hand for maximum comfort and control



Picture shows Actual Size

2 to 1 Gearing for better control in tight places

For long life and trouble free operation, gears are made of special steel and pressure angle. These are designed especially for the Grips Rite Angle Head.

Three Flats for better chucking

Patented

GUARANTEE CARD

Against defects in workmanship and material accompanies each Angle Head Manufactured by Price & Rutzebeck, Hayward, Calif.

TRADE PRICE

GRIPS RITE ANGLE HEAD WITH CHUCK $34.75

F.O.B. HAYWARD, CALIFORNIA
Prices subject to change without notice

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

"PLANETOR" MAGIC FEED BITS (For Portable Use) Save Time — Money — Effort





FOR PORTABLE USE



SERIES JP

SERIES JP—BITS AND SHANKS (Overall Length 5-1/2")

Size, ins.	Each	Size, ins.	Each	Size, ins.	Each	Size, ins.	Each	Size, ins.	Each
11/16"	5.00	3/4"	$5.00	13/16"	$5.00	7/8"	$5.00	15/16"	$5.00

SERIES JPL—BITS AND SHANKS (Overall Length 12")

11/16"	7.85	3/4"	7.85	13/16"	7.85	7/8"	7.85	15/16"	7.85

SERIES BP — BITS ONLY

1	3.40	1-1/8	3.60	1-1/4	3.70	1-3/8	3.85
1-1/16	3.60	1-3/16	3.65	1-5/16	3.80	1-7/16	4.45

SERIES AP — BITS ONLY

1-1/2	4.50	1-7/8	5.50	2-1/4	6.50	2-5/8	9.25
1-9/16	4.85	1-15/16	5.85	2-5/16	6.50	2-11/16	9.25
[illegible]5/8	5.00	2	5.85	2-3/8	6.85	2-3/4	9.50
[illegible]1/16	5.00	2-1/16	6.00	2-7/16	7.50	2-13/16	9.50
[illegible]3/4	5.50	2-1/8	6.00	2-1/2	8.75	2-7/8	10.00
1-13/16	5.50	2-3/16	6.25	2-9/16	8.75	2-15/16	10.00

SERIES FP — BITS ONLY

3	11.50	3-3/8	14.00	3-11/16	15.35	4	18.50
3-1/16	11.50	3-7/16	14.00	3-3/4	16.00	4-1/8	19.85
3-1/8	12.50	3-1/2	14.75	3-13/16	16.00	4-1/4	21.10
3-3/16	12.50	3-9/16	14.75	3-7/8	16.75	4-3/8	22.25
3-1/4	13.50	3-5/8	15.35	3-15/16	17.25	4-1/2	23.60
3-5/16	13.50						

SERIES BP SHANKS

Length, ins.	Each
3-1/2	1.25
5-1/2	1.50
12	1.75
18	2.50

SERIES AP SHANKS

Length, ins.	Each
3-1/2	2.00
5-1/2	2.25
12	3.25
18	3.50

SERIES FP SHANKS

Length, ins.	Each
3-1/2	2.25
5-1/2	2.50
12	3.50
18	3.75

AP SELF FEED SCREW PILOTS ..... Each .55 - Doz. 5.25
BP SELF FEED SCREW PILOTS (5/32") ..... Each .50 - Doz. 4.50
FP SELF FEED SCREW PILOTS ..... Each .60 - Doz. 6.10
JP SELF FEED SCREW PILOTS ..... Each .50 - Doz. 4.50

LARGER SIZES ON SPECIAL ORDER

Write for price and delivery



SHANK EXTENSION COUPLING $1.85

COMPLETE — With 5-1/2" Extension $2.60
(Use 1/2" Round or 7/16" Hex Stock for extensions)

COMPLETE — With 12" Extension $3.25

5-1/2" JP EXTENSION (for JP Bits only) $2.50

12" JP EXTENSION (for JP Bits only) $2.75

Prices subject to change without notice
F.O.B. HAYWARD, CALIFORNIA

THE RIGHT TOOLS FOR YOUR JOB — P&R

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

PLANETOR BITS *make the finest D-E-E-P HOLE bits ever!*



CHIP EJECTORS WILL WORK ON PLANETOR MAGIC FEED OR CHIP FLOW MACHINE BITS

Mounting Instructions for PLANETOR CHIP EJECTORS

Position your Planetor Chip Ejector so bottom end is aligned, as shown in illustration, then tighten BOTH set screws securely.

- **Series B Chip Ejectors fit Planetor Bit Sizes 1" to 1-7/16 x 1/16"**

PRICES
Series B 5-1/2" 2.50
Series B 12" 3.10
Series B 18" 3.75

- **Series J & JL Chip Ejectors Fit Planetor Bit Sizes 3/4" - 13/16" - 7/8" - 15/16"**

PRICES
Series JL 12" 1.85
Series J 5-1/2" 1.25

PART OF THE REASON FOR FREE CUTTING IS THAT THE CHIP EJECTOR DOES NOT RUB THE SIDE OF THE HOLE. BESIDES, NOTHING CUTS LIKE PLANETOR BITS. TRY THEM YOURSELF.


4"
Series J Bits 3/4" through 15/16"
4 3/4"
Series B Bits 1" through 1-7/16" w/5-1/2" shank
11"
Series JL Bits 3/4" through 15/16"
11"
Series B Bits 1" through 1-7/16" w/12" shank
15"
Series B Bits 1" through 1-7/16" w/18" shank

THE MASTER COPPER TUBE BORING SET

. . . contains all cutting tools necessary to install 1/2" - 3/4" - 1" - 1-1/4" - 1-1/2" - 2" and 3" copper tubing.

EVERYTHING YOU NEED BUT POWER!

	CTS-1	CTS-2	CTS-3	CTS-4
PRICES	Complete	Less Grips Rite Angle	Less Handy Angle Supreme Saw	Bits and Case only
	$139.95	$105.95	$109.95	$75.95

All Prices F.O.B. Hayward, California. Subject to Change Without Notice.



SET CONTAINS:

1 STURDY CARRYING CASE
1 3/4" JP PLANETOR BIT W/CHIP EJECTOR
1 15/16" JP PLANETOR BIT W/CHIP EJECTOR
1 1-3/8" BP PLANETOR BIT W/3-1/2" PLANETOR SHANK
1 1-5/8" AP PLANETOR BIT W/3-1/2" PLANETOR SHANK
1 1-7/8" AP PLANETOR BIT W/3-1/2" PLANETOR SHANK
1 2-3/8" AP PLANETOR BIT W/3-1/2" PLANETOR SHANK
1 3-3/8" FP PLANETOR BIT W/3-1/2" PLANETOR SHANK
1 5-1/2" JP SHANK EXTENSION
1 12" JP SHANK EXTENSION
1 5-1/2" SHANK EXTENSION
1 12" SHANK EXTENSION
1 EXTRA JP SCREW PILOT
1 EXTRA BP SCREW PILOT
1 EXTRA AP SCREW PILOT
1 EXTRA FP SCREW PILOT
1 GRIPS-RITE ANGLE HEAD COMPLETE W/CHUCK
1 HANDY ANGLE SUPREME SAW W/16 BLADES - ALL SIZES AND TOOTH STYLES, TUBE LUBRICANT AND NECESSARY ALLEN WRENCHES

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA



MASTER FITTERS' BORING SETS

SET CONTAINS

1—1 1/8" Bit (1/2" I.P. size) with 3 1/2" Shank
1—1 1/4" Bit (3/4" I.P. size) with 3 1/2" Shank
1—1 1/2" Bit (1" I.P. size) with 3 1/2" Shank
1—1 3/4" Bit (1 1/4" I.P. size) with 3 1/2" Shank
1—2 1/8" Bit (1 1/2" I.P. size) with 3 1/2" Shank
1—2 9/16" Bit (2" I.P. size) with 3 1/2" Shank
1—5 1/2" Shank Extension and Coupling
1—12" Shank Extension and Coupling
Plus Spare Pilots, Chuck Key and Setscrew Keys

COMPLETE with Metal Box $54.95
Less Metal Box 49.45
Metal Box only..... 7.50

MASTER TIGHT SPOT BORING SETS

"PLANETOR" MAGIC FEED BITS AND SHANKS

AND "GRIPS RITE" ANGLE HEAD

With This Set You Can Work in a 10-Inch Opening

SET CONTAINS

1—1 1/8" Bit (1/2" I.P. size) with 3 1/2" Shank
1—1 1/4" Bit (3/4" I.P. size) with 3 1/2" Shank
1—1 1/2" Bit (1" I.P. size) with 3 1/2" Shank
1—1 3/4" Bit (1 1/4" I.P. size) with 3 1/2" Shank
1—2 1/8" Bit (1 1/2" I.P. size) with 3 1/2" Shank
1—2 9/16" Bit (2" I.P. size) with 3 1/2" Shank
1—5 1/2" Shank Extension and Coupling
1—12" Shank Extension and Coupling
1—Grips-Rite Angle Head and Chuck
Plus Spare Pilots, Chuck Key and Setscrew Keys

Complete with Metal Box $89.00
Metal Box only 7.50
Less Metal Box 84.00

ALL METAL BOXES are of rugged construction, made of 20 gauge steel and have oven baked finishes for greater durability.
Boxes for Master Tight Spot Boring Set, Master Fitters' Boring Set and Copper Tube Boring Set have Black Crinkle finish.
All boxes contain tool and maintenance instructions under lid of box.

"PLANETOR" CHIP FLOW MACHINE BITS



FOR MACHINE USE

Larger Sizes on Special Order. Write for price and delivery.

SERIES JM — BITS AND SHANKS

Size, ins.	Each	Size, ins.	Each	Size, ins.	Each	Size, ins.	Each	Size, ins.	Each
11/16"	5.00	3/4"	$5.00	13/16"	$5.00	7/8"	$5.00	15/16"	$5.00

SERIES BM — BITS ONLY

1	3.40	1-1/8	3.60	1-1/4	3.70	1-3/8	3.85
1-1/16	3.60	1-3/16	3.65	1-5/16	3.80	1-7/16	4.45

SERIES AM — BITS ONLY

1-1/2	4.50	1-7/8	5.50	2-1/4	6.50	2-5/8	9.25
1-9/16	4.85	1-15/16	5.85	2-5/16	6.50	2-11/16	9.25
1-5/8	5.00	2	5.85	2-3/8	6.85	2-3/4	9.50
1-11/16	5.00	2-1/16	6.00	2-7/16	7.50	2-13/16	9.50
1-3/4	5.50	2-1/8	6.00	2-1/2	8.75	2-7/8	10.00
1-13/16	5.50	2-3/16	6.25	2-9/16	8.75	2-15/16	10.00

SERIES FM — BITS ONLY

3	11.50	3-3/8	14.00	3-11/16	15.35	4	18.50
3-1/16	11.50	3-7/16	14.00	3-3/4	16.00	4-1/8	19.85
3-1/8	12.50	3-1/2	14.75	3-13/16	16.00	4-1/4	21.10
3-3/16	12.50	3-9/16	14.75	3-7/8	16.75	4-3/8	22.25
3-1/4	13.50	3-5/8	15.35	3-15/16	17.25	4-1/2	23.60
3-5/16	13.50						

SERIES BM SHANKS

Length, ins.	Each
5-1/2	1.50
12	1.75
18	2.50

SERIES AM SHANKS

Length, ins.	Each
5-1/2	2.25
12	3.25
18	3.50

SERIES FM SHANKS

Length, ins.	Each
5-1/2	2.50
12	3.50
18	3.75

BRAD POINT PILOTS

	Each	Doz.
A Series	.55	5.25
B Series	.50	4.50
F Series	.60	6.10
J Series	.50	4.50

"PLANETOR" CHIP FLOW BITS AVAILABLE IN 3 STYLES - - STANDARD—LEAD POINT—FLUSH SPUR



STANDARD BIT

Job proved for high speed accurate cutting of wood, masonite and related materials. Finest tool steel with precision ground cutting edges, scientifically heat-treated. Designed for repeated sharpenings without changing form of bit.



LEAD POINT BIT

Recommended for boring plywood. Cutting edges approach glue line on an angle and cut through it gradually, which adds longer life to bit. Can also be used for boring stacked material. For prices add 20% to cost of Standard Bits.



FLUSH SPUR BIT

With these bits you can bore a completely flat-bottomed hole by retracting the pilot.

They are recommended for boring stacked material other than plywood. For prices add 10% to cost of Standard Bits.

STANDARD BITS WILL BE SHIPPED UNLESS SPECIFIED OTHERWISE ON ORDERS

"PLANETOR" CHIP FLOW COUNTER BORES

Employ the same cutting action that has made "PLANETOR" Chip Flow Machine Bits outstanding. Fit any half-inch Drill Shank.

They can be mounted in any of the three ways illustrated

No. 1 — With a short ½" Drill for Pilot Hole. Driven with an R.M. "Planetor" Shank

No. 2 Mounted on a Machine Bit with ½" Shank

No. 3 Mounted on a ½" Twist Drill

O.D. ins.	Each
1-3/8	$7.85
1-7/16	7.85
1-1/2	7.85
1-9/16	7.85
1-5/8	7.85
1-11/16	8.00
1-3/4	8.00
1-13/16	8.00
1-7/8	8.00
1-15/16	8.10
2	8.10
2-1/16	8.10
2-1/8	8.10

O.D. ins.	Each
2-3/16	$8.25
2-1/4	8.25
2-5/16	8.25
2-3/8	8.25
2-7/16	8.50
2-1/2	9.85
2-9/16	10.00
2-5/8	10.00
2-11/16	10.60
2-3/4	10.60
2-13/16	10.60
2-7/8	11.25
2-15/16	11.25

O.D. ins.	Each
3	$12.75
3-1/16	12.75
3-1/8	14.10
3-3/16	14.10
3-1/4	14.85
3-5/16	14.85
3-3/8	15.60
3-7/16	15.60
3-1/2	16.35
3-9/16	16.35
3-5/8	16.85
3-11/16	17.10
3-3/4	18.00

O.D. ins.	Each
3-13/16	$18.00
3-7/8	18.60
3-15/16	19.10
4	20.50
4-1/16	21.85
4-1/8	21.85
4-3/16	23.35
4-1/4	23.35
4-5/16	24.75
4-3/8	24.75
4-7/16	26.50
4-1/2	26.50

SPECIAL SIZES TO ORDER

"PLANETOR" R.M. SHANKS

5-1/2" ..... $3.75 12" ..... $5.35 18" $7.50

All Planetor Magic Feed Boring Bits, Planetor Chip Flow Machine Bits and Planetor Counterbores are warranted against defects in workmanship and material

by The A. Henry Stewart Company

If you plan to drive the counter bore with a Planetor Shank as in illustration No. 1 we suggest that you specify R.M. series.

ALL PRICES F.O.B. HAYWARD, CALIF.

Subject to change without notice

CARBIDE TIPPED TOOLS

Combine . . .

• THE BEST MATERIALS • JOB PROVEN DESIGN • SUPERB WORKMANSHIP to give you Carbide Tipped Tools of matchless quality and performance.

DOOR LIP CUTTER SETS

Door Lip Cutter Sets are made on special bodies generously tipped with carbide. Because of their rigid design and fine balance, they are the answer to obtaining a smooth finish and long tool life when doors are of masonite, plywood or other abrasive material. Available with hardwood lip.

Door Lip Cutter Sets can be furnished with a 5° taper on the rabbet. Add $2.50 to list prices and add "T" to Stock Nos. when ordering.



SAMPLE CUTS

Standard Lip and Standard Rabbet

Standard Lip and 5° Taper Rabbet

Hardwood Lip

DL2 series may be had with Bull Nose running down (as illustrated) or up.

Quarter Round

No. DL2 Series — Diameter 3¾" With ¾", 1" or 1⅛" arbor holes.
Price per set $40.00

Shadow Lip

No. DL1 Series — Diameter 2½" With ½" or ¾" arbor holes.
Price per set $34.00

STOCK NUMBERS

Bull Nose Down	Bull Nose Up	Hardwood Lip	Shadow Lip	Quarter Round	Arbor Hole
DL2-6D	DL2-6U	DL2-6HW	DL2-6PL	DL2-6QR	¾"
DL2-8D	DL2-8U	DL2-8HW	DL2-8PL	DL2-8QR	1"
DL2-9D	DL2-9U	DL2-9HW	DL2-9PL	DL2-9QR	1⅛"
DL1-4D	—	DL1-4HW	DL1-4PL	DL1-4QR	½"
DL1-6D	—	DL1-6HW	DL1-6PL	DL1-6QR	¾"

PLASTIC WORKING TOOLS



No. 4W-FT TRIMMER $14.00

Used for trimming self edging after gluing.

1/4" shank, 1-1/4" diameter, 5/16" face.

No. BST-4 TRIMMER.....$18.00

Used to trim self edging on back splash.

1 3/16" diameter. Fits 5/16" spindle. (Spindle not included.
Fits 4 x 5 Arbor)





2W/2WX

NO. 2W TRIMMER—Straight face, ½" cutting length $13.50
NO. 2WX TRIMMER—Straight face, 1" cutting length $14.80
NO. 2WT TRIMMER — 25° Taper. With two size bearings, ½" cutting length $18.00
Can be used for all flush trimming and is particularly suited for trimming off large overhangs.
½" diameter, ¼" shank

No. 2WB Extra Roller $2.30
No. 2WLB Lg. Roller for 2WT $2.95

2 WT

CARBIDE TIPPED PLANE CUTTERS

Double flute carbide tipped spiral and straight plane cutters to fit Stanley and Porter Cable electric power planes are the answer to long tool life when working with plywood or masonite covered doors, or other abrasive material.



No. 2101—Straight..... $21.00 No. S-2101—Spiral $21.00
Fits 101 Porter Cable and J38 Stanley 1-13/16 x 13/16

No. 2126—Straight..... 27.50 No. S-2126—Spiral 33.50
Fits 26 Porter Cable 2-1/2 x 1-1/8

No. 2-J-5—Straight..... 29.50 No. S-2J5—Spiral 35.50
Fits J5 Stanley 2-33/64 x 1-3/8

No. S-2J4—Spiral fits J4 Stanley 2-3/8 x 3/4 ..... 24.00
No. S-2150—Spiral fits P-150 Porter Cable 2-1/4" x 1-1/8" 33.50
No. S-2J48—Spiral fits J48 Stanley 2-1/16" x 13/16" 23.25
No. S-2167—Spiral fits 167 Porter Cable 1-27/32" x 1-3/16" **29.25**

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

PLASTIC WORKING TOOLS

Carbide-tipped — are the answer to obtaining a smooth finish in a minimum of time and long tool life at a minimum cost. A slinger washer prevents foreign matter from entering the ball bearing, thus promotes longer bearing life.



TRIMMERS — WITH ROLLER GUIDES

Fits 5/16" Spindle or Arbor
(Spindle not included. Fits 4 x 5 Arbor)

No. 4-W—5/16 inch Straight Face—Set $15.00
No. 4-WT-10—5/16 inch 10° Taper—Set 16.00
No. 4-WT-25—5/16 inch 25° Taper—Set 16.00
No. 4W or 4WT—Roller Guides only—ea. .. 3.25

Other Degree Trimmers on Special Order
Prices on Request


Kerfing Cutters


Ball Bearing Guide

No. KS-62—1/16" Kerf, 9/16" depth _____ $ 9.75
No. KS-78—5/64" Kerf, 9/16" depth _____ 9.75
No. KS-93—3/32" Kerf, 9/16" depth _____ 9.75
No. KS-110—7/64" Kerf, 9/16" depth _____ 9.75
No. KS-125—⅛" Kerf, 9/16" dept _____ 9.75
No. KS-190—3/16" Kerf, 9/16" depth _____ 12.50
No. KS-250—¼" Kerf, 9/16" depth _____ 12.50
No. KSB—Roller only for Kerfing Cutters _____ 2.90

ARBORS


4 x 5 Arbors

No. 4 x 5 — 1/4" Shank, 5/16" Spindle, complete with 2 spacers and nut; fits all Trimmers and Kerfing Cutters ..... $ 1.95

All Prices F.O.B. Hayward, California
Subject to Change Without Notice

ROUTER BITS



Stock No.	Shank diam.	Cut diam.	Carbide Lgth.	Straight Each	Spiral Each
408-CT	¼	½	1 3/16	11.75	14.75
*404-C	¼	¼	1	9.00	.....
404-CA	¼	¼	7/16	9.00	.....
405-C	¼	5/16	1	9.00	.....
406-C	¼	⅜	1	9.50	.....
408-C	¼	½	1	10.00	13.00

*Recommended for trimming only.

Special short router bits for shallow cuts available. Specify when ordering.



Stock No.	Shank diam.	Cut diam.	Carbide Lgth.	Straight Each	Spiral Each
806-C	½	⅜	1	9.50	.....
808-C	½	½	1 ¼	8.50	.....
808-CX	½	½	1 ⅜	10.50	13.25
808-CX2	½	½	2	.....	15.00
810-C	½	⅝	1 ⅜	11.00	14.00
812-C	½	¾	1 ⅜	11.50	15.50
816-C	½	1	1 ⅜	12.50	17.50

When ordering Spiral bits prefix S to stock number.

Any Carbide Tool Tip will be replaced without charge in case of Braze Failure. Charge will be made for Broken Tips.

Write to Price & Rutzebeck for Bulletin CS-1 "Carbide Tipped Router Bits and How To Live With Them" or Bulletin CS-2 "The Use and Maintenance of Plastic Working Tools."

THE "ABL" ANGLE DRIVE

COMPACT!
TOUGH!
VERSATILE!

A tool of many uses — it can be used as a portable tool or a machine component.



The ABL Bearing (Apex Ball Locator) assures high capacity, low friction loss and minimum heat.

RATED CAPACITY:	1/3 H.P. 750 RPMs	1 - 1/3 H.P. 3000 RPMs
MAXIMUM SPEED:	6000 RPMs	Unit must be modified for higher speeds.

RATIO: 1 to 1 or 1½ to 1

1001-37-FM COMPLETE (RATIO 1:1)	**$ 27.95**
1001-37 STRIPPED (RATIO 1:1)	**19.75**
1501-37-FM COMPLETE (RATIO 1½:1)	**27.95**
1501-37 STRIPPED (RATIO 1½:1)	**19.75**



ACCESSORIES

AD-3	Input Shaft	$1.40
A-1	Bushings for Aircraft Drills	.90
AD-4	Male Threaded Shafts	.70
	Key Type Chuck	8.40



Manufactured by H & T Keesling, Los Gatos, Calif. and warranted by them against defects in workmanship and material.

F.O.B. HAYWARD, CALIFORNIA

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD CALIFORNIA

"HANDY ANGLE" SAWS

FOR INTERMITTENT USE



With six blades, tube of lube, and an Allen wrench

14.75

PICTURE SHOWS ACTUAL SIZE

NEEDLE BEARINGS ON INPUT SHAFT AND CONNECTING LINK

FOR HEAVY DUTY CONTINUOUS USE

"HANDY ANGLE" SUPREME

With 16 blades, tube of lube, flat shoe and Allen Wrench

29.75

HARDENED AND POLISHED

The "HANDY ANGLE" Saw will work equally well on One-quarter inch Electric Drills, Air Drills or Flexible Shafts. Any speed from 1800 to 3500 R.P.M. is satisfactory.

The "HANDY ANGLE" Saw is designed with simple, rugged parts made of the very best materials for the job. All wearing parts are heat treated for long life.

The "HANDY ANGLE" Saw is manufactured and guaranteed against defects in workmanship and material by H & T Keesling of Los Gatos, California. It has been job proved by thousands in all fields of industry.

Lubrication and Maintenance Instructions are in Box with the Tool.

"HANDY ANGLE" FLAT SHOE



HANDY ANGLE FLAT SHOES are desirable when working with finished surfaces or when holding a right angle is important.

PS100—each $2.35

Types of Blades



Type B BLADES — Best for cutting contours 3" lengths only



Type F BLADES — Most rigid blade 3", 4" and 6" lengths available

"HANDY ANGLE" Lubricant Per tube $0.50

"HANDY ANGLE" SAW

Includes 6 assorted blades, tube of lubricant and Allen Wrench . . . . . .

"HANDY ANGLE" BLADES

Order No.	Nom. Lgth. inches	Cut Lgth. inches	Teeth per inch	Standard Blades Each	Standard Blades Doz.
B-10-3	3	1-1/2	10	.47	4.70
B-14-3	3	1-1/2	14	.47	4.70
B-18-3	3	1-1/2	18	.47	4.70
B-24-3	3	1-1/2	24	.47	4.70
F-10-3	3	1-3/4	10	.47	4.70
F-14-3	3	1-3/4	14	.47	4.70
F-18-3	3	1-3/4	18	.47	4.70
F-24-3	3	1-3/4	24	.47	4.70
F-10-4	4	2-3/4	10	.59	5.90
F-14-4	4	2-3/4	14	.59	5.90
F-18-4	4	2-3/4	18	.59	5.90
F-24-4	4	2-3/4	24	.59	5.90
F-10-6	6	4-1/4	10	.78	7.80
F-14-6	6	4-1/4	14	.78	7.80
F-18-6	6	4-1/4	18	.78	7.80
F-24-6	6	4-1/4	24	.78	7.80

*For Hard to Cut Material such as Stainless Steel. Ask About Handy Angle Supreme Blades

COMPTON DEEP THROAT HAND SEAMERS AND TONGS

MFGD. & GUARANTEED BY WAYNE COMPTON, MORRO BAY, CALIFORNIA

DEEP THROAT HAND SEAMERS

Manufactured of 80,000 Tensile Iron

MODEL No. A-350
Angled Jaws

PRICE
$7.50

PRICE
$7.50

MODEL No. A-350
Straight Jaws

DIMENSIONS

	No. A-350 (Angled)	No. S-350 (Straight)
A	8 1/2"	9 1/4"
B	3 7/16"	3 7/16"
C	1 11/16"	1 11/16"

"VELVET TOUCH" TONGS

Vinyl Coated Jaws Protects Finished Surfaces

Excellent for glass hackout pliers

MODEL No. VA-350
Angled Jaws

PRICE
$9.75

PRICE
$9.75

MODEL No. VS-350
Straight Jaws

DIMENSIONS

	No. VA-350 (Angled)	No. VS-350 (Straight)
A	8 1/2"	9 1/4"
B	3 7/16"	3 7/16"
C	1 11/16"	1 11/16"

COMPTON CLAMPS

MODEL 3-S-1

- **MAXIMUM OPENING — 2 1/4"**
- **MAXIMUM CLAMPING THICKNESS — 3/4"**
- **MADE OF LIGHTWEIGHT, SUPER STRONG ALUMINUM ALLOY**

3.75
EACH

37.50
PER DOZ.

WILL CLAMP ON
NON-PARALLEL SURFACES

MODEL 3-T-J

- **MAXIMUM CLAMPING THICKNESS — 3 3/8"**
- **THROAT CLEARANCE — 2 3/4"**
- **BASE TO CENTER — 2 1/4"**
- **EASILY DISMOUNTED FOR LOADING JIG**
- **MADE OF 80,000 TENSILE DUCTILE IRON**

5.95
EACH

59.50
PER DOZ.

- **MAXIMUM OPENING — 6"**
- **MAXIMUM CLAMPING THICKNESS — 2 3/8"**
- **MADE OF 80,000 TENSILE DUCTILE IRON**

5.40
EACH

54.40
PER DOZ.

MODEL 3-T-1

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

POW-R PAC

DOUBLES THE POWER OF AC-DC MOTORS . . . MANY OTHER USES
A PRODUCT OF SPACE AGE TECHNOLOGY





SILICON RECTIFIER FILTERING SYSTEM CONVERTS 110V AC INTO → 140V DC

PROVIDES TAILOR-MADE POWER FOR POWER TOOLS
Tools Work Easier, Run Cooler, Last Longer, Do Bigger Jobs

POW-R-PAC is a tremendous help where long extension cords must be used!

POW-R-PAC MODELS

110-15 110V 15A Power Tool Rating	$ 79.95
110-30 110V 30 A Power Tool Rating	$ 99.75
220-15 220V 15A Power Tool Rating	$ 89.75
220-30 220V 30A Power Tool Rating	$129.75

SPECIAL FEATURES
- oil cooled rectifiers
- resetable circuit breaker
- double contact relays
- all parts replaceable without special tools

HOW TO GET THE BEST USE FROM POW-R-PAC
1. Use only with AC DC motors
2. Always plug Pow-R-Pac into electric source
3. Always use the ground—it's SAFE

POW-R-PAC IS DESIGNED WITH THE BENEFIT OF YEARS OF EXPERIENCE IN THIS FIELD

L.M. PORTABLE SPOTWELDERS

MANUFACTURED BY LOUIS MELZASSARD OF MONACO

LM No. 1 (Light Weight) FROM 2-42 GA. TO 2-16 GA.

WELDING CAPACITY

SPOTS PER MIN.	SHEETS	RDS.
15	2-25 ga.	2-1/16"
8	2-21 ga.	2-1/8"
6	2-19 ga.	2-3/16"
3	2-16 ga.	2-5/16"

POWER: NORMAL 5.2 KVA
MAXIMUM 12 KVA

Secondary 5000 Amps
Weight 18 lbs.
20 Amps. — 110 Volts
10 Amps. — 220 Volts
7 Amps. — 380 Volts
Other voltages available on special order.
Built in Switch
Standard Arms 5"
Maximum Opening 5"



SWITCH CONTROL

Switch Automatic when proper clamping pressure applied

Arms are available up to 20" long which provides an opening of 16"

$115.00

LM No. 3 (Middle Weight)

FROM 2-28 GA. TO 2-14 GA.

POWER: NORMAL 6.5 KVA
MAXIMUM 13 KVA

Secondary 6500 Amps.
Weight 32 Lbs.
40 Amps. — 110 Volts
20 Amps. — 220 Volts
15 Amps. — 380 Volts
Other voltages available on special order.
Designed to weld from 1 side making 2 spots.



LM3 MUST BE USED WITH TC2 OR CX

$168.75

FERRET ATTACHMENT

$73.00

CAN BE USED WITH LM2 OR 3

LM No. 4 (Heavy Weight) FROM 2-25 GA. TO 2-7 GA.

SPECIFICATIONS

POWER: NORMAL 12 KVA
MAXIMUM 28 KVA

Secondary 12000 Amps.
80 Amps. — 110 Volts
40 Amps. — 220 Volts
25 Amps. — 380 Volts
Other voltages available on special order.
Weight 80 Lbs.
Standard Arms 10"
Maximum Length 22"

$400.00



ADJUSTABLE ELECTRODES EITHER WET OR DRY

LM 4 MUST BE USED WITH TC 2 OR CX

WELDING CAPACITY
SPOTS PER MINUTE

SIZE SHEET	SIZE RD	WITHOUT WATER	WITH WATER
2-25 ga.	1/8"	Unlimited	Unlimited
2-21 ga.	3/16"	50	Unlimited
2-19 ga.	5/16"	30	60
2-14 ga.	13/32"	15	30
2-10 ga.	9/16"	10	15
2-7 ga.	1"	3	5

TC-4

$170.63

REGULATES AUTOMATICALLY
The welding time between 1/50 seconds and 3 seconds.

CX

$87.70

Allows control of LM NO. 3 and LM NO. 4 without regulating welding time.

LM No. 2 (Middle Weight)

FROM 2-42 GA. TO 2-10 GA.

WELDING CAPACITY

SPOTS PER MIN.	SHEETS	RDS.
50	2-25 ga.	2-3/32"
20	2-21 ga.	2-1/8"
15	2-19 ga.	2-3/16"
8	2-14 ga.	2-5/16"
3	2-10 ga.	2-9/16"

POWER: NORMAL 6 KVA MAXIMUM 14 KVA

Secondary 6000 Amps.
Weight 36-3/4 Lbs.
40 Amps. — 110 Volts
20 Amps. — 220 Volts
15 Amps. — 380 Volts
Other voltages available on special order.

Built in Switch
Standard Arm 10"
Opening 4"
Maximum Arm 26"
Opening 8"

ADJUSTABLE ELECTRODES



$154.00

SWITCH CONTROL

Switch Automatic when proper clamping pressure applied.

PRICE & RUTZEBECK
P. O. BOX 30 • HAYWARD, CALIFORNIA

L.M. SPOT WELDER PARTS LIST

EXTENSION ARMS

TRADE PRICE PER SET

LM 1



5" (Std)	12"	20"
8.00	10.00	12.00

LM 2



8" (Std)	18"	26"
12.00	15.00	18.00

LM 4



11" (Std)	18"	22"
33.00	38.00	43.00

ELECTRODES



LM 1 or LM 2 per set 1.00



LM 4 per set 4.25



1.00 each

REPLACEABLE TIPS FOR LM 3, LM 4
WATER COOLED OR FERRET ATTACHMENT



LM 4 (water cooled) per set 10.00

GIMBAL RING

55.00

RT FUSE (LM 2 and 4)



.63

SWITCH POINTS FOR LM-1 & LM-2

2.50

FLOOR STANDS

TRADE PRICE



LM 2
67.00

LM 4
84.00

FERRET ADAPTER LM 2



15.00

L.M. No.5 SPOTWELDER

Designed for welding small difficult parts

WELDING CAPACITY		
Spot per Min.	Sheets	Rounds
unlimited	2-36 gauge	2-1/32"
40	2-25 gauge	2-1/8"
26	2-21 gauge	2-3/16"
18	2-18 gauge	2-1/4"
14	2-16 gauge	2-5/16"



① Foot operation

② Water cooled tips and transformer

③ Time – 1 cycle to 100 cycles

PRICE COMPLETE

$729.00

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

L. M. No.6

HOW IT WORKS

1. Hold work piece with pliers
2. Place the Stylarc over the part, making a ground on the pliers
3. Advance the button until contact is made
4. Welded joint is produced in 1/4 to 3 seconds, depending on size of wire

JOINS WIRES OF SIMILAR OR DISSIMILAR MATERIALS INSTANTLY WITHOUT SOLDER OR FLUX



IRON
STEEL
COPPER
BRASS
NICKEL
MONEL, ETC.



DETAILED VIEW OF WELDED JOINTS

PRICE
$225.00



WEIGHT: 23lbs.
STYLARC 2oz.

110V or 220V POWER REQUIREMENT
110V - 10A to 40 A
220V - 5A to 20A







PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

SELLECK LIQUID LEVEL

Designed, Manufactured and Guaranteed by Robert W. Selleck of San Jose, California

HOW IT WORKS:



Benefits

1. Saves labor
   Only one man needed
2. Very little training needed to use
3. Is accurate
4. No delicate parts
5. Does not require line of sight
6. Direct readout in inches

Bench mark and work point are measured from the plane of reference using the rod or other accessory to hold the instrument and make the measurement.

No. 1
SELLECK
LIQUID
LEVEL KIT

Contains:
Basic Tool,
Mason's Adapter,
Screed Bracket Adapter Set,
4' Level Rod,
4' Level Rod Extension,

$129.00



No. 2
SELLECK
LIQUID
LEVEL KIT

Contains:
Basic Tool,
4' Level Rod,
Mason's
Adapter.

$99.00

No. 3
SELLECK
LIQUID
LEVEL KIT

Contains:
Basic Tool,
Mason's
Adapter.

$59.95



PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

SELLECK LIQUID LEVEL APPLICATION

1. Place reservoir in suitable location. Clamp it to a solid object in an upright position with one of the clamps provided.
2. Establish an instrument reading at the base point.
3. Compare other measurements using accessories listed below.

Mason's Adapter is used for many levelling and inspection jobs. Base has level bubble.



SELLECK LEVEL ROD
4' Long with Built-In 4' Extension
4' Rod Extensions Also Available

ROD

RESERVOIR CLAMP
Clamps Instrument Directly Onto Form

SCREED BRACKET ADAPTER SET
Connects Both Reservoir and Instrument to Screed Brackets

ACCESSORY PRICES - - - SELLECK LIQUID LEVEL

BASIC TOOL $50.00

Includes Instrument, Hose, Reservoir, Vertical Adapter

MASON'S ADAPTER	$13.00
SCREED BRACKET ADAPTER	22.50
4' LEVEL ROD	42.00
4' LEVEL ROD EXTENSION	12.50

PARTS

LIQUID REFILL	$ 4.50
50' SUPPLY HOSE (For extra length add .25 per foot)	10.00
INSTRUMENT HOSE	2.00
DIAPHRAGM	1.00
REBUILT INSTRUMENT (Exchange)	15.00

DANIELSON SUPER FLEX FISH TAPES

MANUFACTURED AND GUARANTEED BY OLIVER DANIELSON, MARTINEZ, CALIFORNIA

100 HD – $34.95
100' Heavy Duty
in Spring Container
Wt. 11lb.

1 Ton Pulling Capacity

50 – $14.95
50' Std. Duty
in Spring Container
Wt. 3½lb.

1000 lb. Pulling Capacity

25 – $9.95
25' Std. Duty
in Spring
Container
Wt. 2lb.

BEST FOR SHORT RUNS OR SMALL PIPE
UP TO 1" WILL PASS 9 – 90° ELBOWS

550 HD – $19.95
50' Heavy Duty
in Spring Container
Wt. 6lb.

BEST FOR LONG RUNS OR PIPE OVER 1"
WILL PASS 9 – 90° ELBOWS

Danielson Superflex Tapes represent a new and different concept in fish tape design. They are manufactured by wrapping an armor of alloy steel strap around an inner-core of high tensil aircraft cable. With this completed it is forced through a swedging die which makes the inner cable and the outer armor act as a single piece. (There are other tapes of this general design which originate as aircraft target tow cable, but none of these go through the swedging operation). The combination of these two materials, plus the swedging, makes a Danielson Superflex Fish Tape a lively and eager tool.

A charge of $5.00 plus freight will be made for replacing eyes. You can do this in approximately 10 minutes.

COMPTON FISH TAPE GRIPPER

Replacement Grips $2.50

Holds Danielson Tapes with handle up.
Flat tapes with handle down.

PRICE $ 4.95

DANIELSON SUPER GRIPPER

FOR PULLING FLAT & ROUND TAPES



$14.95 • WON'T DAMAGE TAPES!



With 3-corner file, score groove around cable — almost thru armor. Remove section, twisting opposite direction of wrapping.



Clean thoroughly –
Apply flux mixed with drop of water to creamy paste. Work flux into strands with stick. (Flux must not be taken internally or contact skin.)

Secure in vise in upright position and put ring of welding alloy over strands firmly against bushing.



At proper temperature, alloy ring will melt and flow between cable strands and bushing. Now work flame downward. When alloy has disappeared let cool slowly. Do Not immerse in water to cool.



Cut funnel section off bushi... with hack saw. If threads are clogg... with scale, clean with brush or ¼x 2... die. Apply drop of oil and screw on eye.

INSTRUCTIONS FOR REPLACEMENT OF EYES

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

DANIELSON DRILL EXTENSION

MFGD. & GUARANTEED BY OLIVER DANIELSON, MARTINEZ, CALIFORNIA

DESIGNED TO BORE HOLES IN HARD-TO-GET-AT PLACES . . . . . .

Increase operator control and safety! The new Danielson Drill Extension fits any ½" drill . . . enables a 5' tall man to stand on the floor while boring 8' ceiling joists!



#2-J w/Torque Bar

#3-J w/Torque Bar

ELIMINATES STRAINING, SQUATTING OR CLIMBING LADDERS!

THE OPERATOR WORKS IN COMPLETE SAFETY AND COMFORT!



Stock No.	Length	Type Chuck	Price w/ Torque Bar
2J	48"	Gear	$49.75
3J	24"	Gear	49.75
2J	60"	Gear	54.50
2A	48"	Allen Screw	38.45
3A	24"	Allen Screw	38.45

PLANETOR SERIES J.P. BIT — $6.00 EA.
A new experience in effortless boring



SIZES
11/16 | 3/4
13/16 | 7/8
15/16

FEATURES REPLACEABLE PILOT
MAGIC FEED CHIP EJECTOR

#2 Repair Kit for all 2-J or 2-A Extensions — $24.95

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

TRANS-END FACING CUTTER WITH "LIVE TIP ACTION"

USES REPLACEABLE PRE-SHARPENED CARBIDE TIPS

MFG. & GUARANTEED BY TRANS BAY TOOLING, OAKLAND, CALIF.

1. **BENEFITS** – Exclusive live tip action concept in which the tips actually move to absorb impact. Allows Trans-End Facing Cutter to operate at higher speeds and cut harder materials with longer tip life.

2. **SAVES DOWN TIME** – cutting edges can be changed in less than 2 minutes.

3. **SAVES MONEY** – 3 sets of cutting edges on each set of tips. Diameter remains constant.

4. **MONEY MAKER** – for hi-speed stock removal. Cuts faster than you think possible.

5. **TRANS-END FACING CUTTERS** – are capable of operating at very high speed and feeds, thereby increasing the capacity of your equipment.



PRE-SHARPENED TIP KITS

FERROUS CUTTING	NON FERROUS CUTTING	PRICE PER KIT
A-7-F	A-7-P	5.75
A-8-F	A-8-P	5.75
A-9-F	A-9-P	5.75
A-10-F	A-10-P	5.75
A-11-F	A-11-P	5.75
B-12-F	B-12-P	9.75
B-14-F	B-14-P	9.75
B-16-F	B-16-P	9.75
B-18-F	B-18-P	9.75
B-20-F	B-20-P	9.75

SHANKS

SIZE	STOCK NO.
5/8" straight	5
3/4" straight	6
1" straight	8

SPECIFY SHANK WHEN ORDERING.

WE CAN FURNISH ANY TAPER YOU REQUIRE, AT EXTRA COST.

CUTTERS ONLY

STOCK NO. SPECIFY SHANK	NO. TIPS	DIA.	PRICE W/O TIPS
A-3-7	3	7/8"	18.75
A-3-8	3	1"	20.00
A-3-9	3	1-1/8"	22.50
A-3-10	3	1-1/4"	23.75
A-3-11	3	1-3/8"	26.75
B-6-12	6	1-1/2"	37.50
B-6-14	6	1-3/4"	42.50
B-6-16	6	2"	47.50
B-6-18	6	2-1/4"	55.00
B-6-20	6	2-1/2"	63.00

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

STA-PUT
DRILL PRESSCLAMP

MANUFACTURED AND GUARANTEED BY H. T. KEESLING, LOS GATOS, CALIF.

MADE OF SUPER STRONG
ALUMINUM ALLOY



DESIGNED TO WORK ON ROUND COLUMN DRILL PRESS

AVAILABLE IN
2¾" AND 3½" COLUMN DIA.

SAVES

- SPOILED WORK
- HUNTING FOR CLAMPS
- BROKEN DRILLS
- ACCIDENTS

MOVES

WILL HOLD ANY SHAPE OF WORK PIECE YET IS NEVER IN YOUR WAY



HOLDS ANY SHAPE



KEEPS SHEETS FROM SPINNING



NEVER IN THE WAY

MAKE SAFETY HANDY WITH STA-PUT

STOCK NO.	COLUMN DIA.	PRICE
B60	2¾"	$28.55
B66	3½"	$32.65

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

Test boring through a tree with a 5" "Planetor" Magic Feed Bit. Note smoothness of hole.



Boring through 12 inch timber for 2 inch Pipe with 2-9/16" Magic Feed "Planetor" Bit on an 18" Shank. Power — 4½ amp. 110v motor. Time — Less than a minute.



THE "HANDY ANGLE" SAW



It is a breeze to cut Corrugated Iron Roofing with the "HANDY ANGLE" Saw. The guide shoe easily follows the contours.



The "HANDY ANGLE" Saw cuts its own starting hole

PRICE & RUTZEBECK

P. O. BOX 30 • HAYWARD, CALIFORNIA

ALL TOOLS IN THIS CATALOG SOLD ONLY THROUGH AUTHORIZED TRADE CHANNELS

Cat No. - M.C. 1073

THE RIGHT TOOLS FOR YOUR JOB